MAY 1 5 2002

TECH UENTER 1600/2900

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Hawley-Nelson et al.

Serial No. 09/911,569

Filed: July 23, 2001

For:

PEPTIDE-ENHANCED TRANSFECTIONS

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as Express Mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 2023

Group Art Unit: 1643

Examiner: Not assigned

Express Mail Certificate Number

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents Washington, D.C. 20231

Sir:

The Examiner is respectfully requested to consider the Information Disclosure Statements submitted by Applicants in U.S. serial number 09/039,780 filed March 16, 1998, from which the above-referenced application takes priority under 35 U.S.C. §120. Further, Applicants respectfully direct the Examiner's attention to any other items cited by the Examiner during the prosecution of the patent application serial number 09/039,780. It is believed unnecessary under 37 C.F.R. §1.98(a) to submit copies of these previously submitted or cited items which are listed on the enclosed Form 1449.

This information is cited in a spirit of forthrightness and cooperation to enable the applicants to obtain that measure of protection for the invention to which there is entitlement. However, no representation is made that the listed art actually qualifies as prior art under the patent statute and the mere use of PTO-1449 is not an admission that all listed references are prior art. No representation is made that applicants know of the best art.

It is believed that this submission does not require the payment of a fee. If this is not correct, please charge any required fee to deposit account no. 07-1969.

Respectfully submitted,

Sally A. Sullivan

Reg. No. 32,064

GREENLEE, WINNER AND SULLIVAN, P.C.

5370 Manhattan Circle, Suite 201, Boulder, CO 80303

Telephone: (303) 499-8080; Facsimile: (303) 499-8089

Attorney Docket No. 32-95D

SAS:lem:May 10, 2002



MAY 1 5 2002 TECH CENTER 1600/2900

166f 14

Form PTO 1449		
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569	 FILING DATE July 23, 2001
APPLICANT Hawley-Nelson et al.	·	GROUP 1643

U.S. PATENT DOCUMENTS

Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
-	5,795,587	08/18/98	Gao et al.	424	450	
	4,946,787	08/07/90	Eppstein et al.			
	5,736,392	04/07/98	Hawley-Nelson et al.			
	5,714,166	02/03/98	Tomalia et al.			
	5,166,320	11/24/92	Wu et al.	530	395	
	5,354,844	10/11/94	Beug et al.	536	345	
	5,574,142	11/12/96	Meyer, Jr. et al.	536	23.1	
	5,589,392	12/31/96	Short	435	320.1	
	5,266,106	11/30/93	Winnik et'al.	106	22K	*
	5,338,532	08/16/94	Tomalia et al.	424	1.49	
	5,527,524	06/18/96	Tomalia et al.	424	1.33	
	5,578,475	11/26/96	Jessee	435	172.3	
	5,587,441	12/24/96	Frechet et al.	526	238	
	5,587,446	12/24/96	Frechet et al.	526	3.33	
	5,560,929	10/01/96	Hedstrand et al.	424	486	
	5,334,761	08/02/94	Gebeyehu et al.	564	197	
	5,674,908	10/07/97	Haces et al.	514	642	
	5,532,142	07/02/96	Johnston et al.	435	69	
	5,198,423	03/30/93	Taguchi et al.	514	12	
	4,897,355	01/30/90	Eppstein et al.	435	240.2	

FOREIGN PATENT DOCUMENTS

	Document Number	Date	Country	Class	Subclass	Translation Yes/No
,	WO 91/15501	17.10.91	PCT	C07H 21/02	C12N 5/00	
a	WOA91/16024	31.10.91	PCT			



MAY 1 5 2002 TECH CENTER 1600/2900

2 of 14

Form PTO 1449			
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569		FILING DATE July 23, 2001
APPLICANT Hawley-Nelson et al.		*	GROUP 1643

•		·					
	3	-WO92/13570	-20.08.92-	PCT			-No
	Ц	WO93/07282	04.15.93	PCT			
	8	WO93/07283	04.15.93	PCT			
-	ع	WO93/19768	14.10.93	PCT			
	り	WO94/04696	03.03.94	PCT			
	8	WO94/23751	27.10.94	PCT			No
· · · · · · · · · · · · · · · · · · ·	9	WO95/02397	26.01.95	PCT			
	16	WO95/17373	29.06:95	PCT			
	ıl	WO95/24221	14.09.95	PCT	*		
	12	WO95/31557	23.11.95	PCT			
· .	15	WO96/01841	25.01.96	PCT			
	14	WO96/05218	22.02.96	PCT			
	15	WO96/10038	04.04.96	PCT			
	16	WO96/22321	25.07.96	PCT	,		·
• .	10	WO96/22765	01.08.96	PCT		-	
	18	WO96/31549	10.10.96	PCT			No
	19	0 304 111 B1	30.07.88	EP			No
	20	0 359 347	21.03.90	EP			
	21	0 544 292	26.11.92	EP			
	22	AU-B-26526/92	28.09.92	AU			h.

OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

U	23	Aumailley, M. et al. (1989), "Cell Attachment Properties of Collagen Type VI and Arg-Gly-Asp Dependent Binding to its α2(VI) and α3(VI) Chains," Exp. Cell Res. 181:463-474.
	24	Behr, J-P. et al. (1989), "Efficient gene transfer into mammalian primary endocrine cells with lipopolyamine-coated DNA," Proc. Natl. Acad. Sci. USA 86:6982-6986
	25	Bielinska, A. et al. (1996), "Regulation of in vivo gene expression using antisense oligonucleotides or antisense expression plasmids transfected using starburst PAMAM dendrimers," Nucl. Acids Res. 24(11):2176-2182



Form PTO 1449					
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569	<u> </u>	FILING DAT	E July 23, 2001	
APPLICANT Hawley-Nelson et al.			GROUP 1643		

		25	-Bonifaci, N. et-al(1995), "Nuclear translocation of an exogenous fusion protein containing HIV Tat requires unfolding," AIDS 9(9):995-1000
		27	Braunlin et al., "Equilibrium dialysis studies of polyamine binding to DNA," Biopolymers 21:1301-1314
=		28	Carrasco, L. et al. (1982), "Modification of Membrane Permeability in Vaccinia Virus-Infected Cells," J. Virol. <u>117</u> :62-69
		29	Ciccarone et al. (1993), "Cationic Liposome-Mediated Transfection of Eukaryotic Cells: High Efficiency Nucleic Acid Delivery with Lipofectin, Lipofectace™, and Lipofectamine™ Reagents," FASEB J., Abstracts, 7(7):A1131, Abstract No. 454
		3×	Ciccarone et al., "DMRIE-C reagent for transfection of suspension cells and for RNA transfections," Focus 17:84-87
		31	Cotton et al. (1992), "High-efficiency receptor-mediated delivery of small and large 48 kilobase gene constructs using the endosome-disruption activity of defective or chemically inactivated adenovirus particles," Proc. Natl. Acad. Sci. USA 89:6094-6098
		32	Curiel, D.T. et al. (1992), "High-Efficiency Gene Transfer Mediated by Adenovirus Coupled to DNA-Polylysine Complexes," Hum. Gene Therapy 3:147-154
		39	Curiel, D.T. et al. (1991), "Adenovirus enhancement of transferrin-polylysine-mediated gene delivery," Proc. Natl. Acad. Sci. USA <u>88</u> :8850-8854
		39	Dayhoff, M.O. et al. (1978), "Model of Evolutionary Change in Proteins," in Atlas of Protein Sequence and Structure, Vol. 5, Supp. 3, Chapter 22, pp. 345-352
		35	Dedhar, S. et al. (1987), "A Cell Surface Receptor Complex for Collagen Type I Recognizes the Arg-Gly-Asp Sequence," J. Cell Biol. <u>104</u> :585-593.
	2	36	DeRobertis et al. (1978),"Intracellular migration of nuclear proteins in Xenopus oocytes," Nature 272:254-256
	•	39	Dingwall, C. and Laskey, R.A. (1991), "Nuclear targeting sequences - a consensus?" TIBS 16:478-481
		34	Epand et al. (1992), "Peptide models for the membrane destabilizing actions of viral fusion proteins," Biopolymers 32:309-314
	*	39	Eytan, G.D. (1982), "Use of Liposomes for Reconstitution of Biological Functions," Biochem. Biophys. Acta <u>694</u> :185-202

KFCEIVED

MAY 1 5 2002 TECH CENTER 1600/2900



PATEUR		
Form PTO 1449 ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569	FILING DATE July 23, 2001
APPLICANT Hawley-Nelson et al.		GROUP 1643

	·		
.8		Ho	Fawell, S. et al. (1994), "Tat-mediated delivery of heterologous proteins into cells," Proc. Natl. Acad. Sci. USA <u>9</u> 1:664-668
(0		41	Felgner, P.L. and Ringold, G.M. (1989), "Cationic liposome-mediated transfection," Nature 337:387-388
		42	Felgner, P.L. et al. (1987), "Lipofection: A highly efficient, lipid-mediated DNA-transfection procedure," Proc. Natl. Acad. Sci. USA <u>84</u> :7413-7417
	- 11	43	FitzGerald, D.J.P. et al. (1983), "Adenovirus-Induced Release of Epidermal Growth Factor and Pseudomonas Toxin into the Cytosol of KB Cells during Receptor-Mediated Endocytosis," Cell 32:607-617
		44	Frankel, A.D. et al. (1989), "Activity of synthetic peptides from the Tat protein of human immunodeficiency virus type 1," Proc. Natl. Acad. Sci. USA <u>86</u> :7397-7401
	- 9-	46	Friedlander, D.R. et al. (1988), "Functional Mapping of Cytotactin: Proteolytic Fragments Active in Cell-Substrate Adhesion," J. Cell Biol. <u>107</u> :2329-2340.
		48	Gao, X. and Huang, L. (1996), "Potentiation of Cationic Liposome-Mediated Gene Delivery by Polycations," Biochemistry 35:1027-1036
1	•	47	Gardner, J.M. and Hynes, R.O. (1985), "Interaction of Fibronectin with Its Receptor on Platelets," Cell 42:439-448.
	٠.	48	Gould-Fogerite, S. et al. (1989), "Chimerasome-mediated gene transfer in vitro and in vivo," Gene 84:429-438
		49	Grant, D.S. et al. (1989), "Two Different Laminin Domains Mediate the Differentiation of Human Endothelial Cells into Capillary-like Structures In Vitro," Cell 58:933-943.
*	•	60	Haensler, J. and Szoka, R. (1993), "Polyamidoamine Cascade Polymers Mediate Efficient Transfection of Cells in Culture," Bioconjugate Chem. 4:372-379
		51	Hagstrom, J.E. et al. (1996), "Complexes of non-cationic liposomes and histone H1 mediate efficient transfection of DNA without encapsulation," Biochim. Biophys. Acta 1284:47-55
	-	52	Haverstick, D.M. et al. (1986), "Inhibition of Platelet Adhesion to Fibronectin, Fibrinogen, and von Willebrand Factor Substrates by a Synthetic Tetrapeptide Derived From the Cell-Binding Domain of Fibronectin," Blood <u>86</u> (4):946-952.
		53	Hawley-Nelson, P. et al. (1993) FOCUS Vol. 15, 17pp
•		6 ^{il} l	Humphries, M.J. et al. (1986), "Identification of an Alternatively Spliced Site in Human Plasma Fibronectin That Mediates Cell Type-specific Adhesion," J. Cell Biol. 103:2637-2647.

KFCEIVED




Y 1 5 2002 TECH CENTER 1600/2900

Form PTO 1449		:	
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569	,	FILING DATE July 23, 2001
APPLICANT Hawley-Nelson et al.			GROUP 1643

		68	Humphries, M.J. et al. (1987), "Identification of Two Distinct-Regions of the Type III Connecting Segment of Human Plasma Fibronectin That Promote Cell Type-specific Adhesion," J. Biol. Chem. 262(14):6886-6892.
		816	Ito, A. et al. (1990), "Synthetic Cationic Amphiphiles for Liposome-Mediated DNA Transfection," Biochem. Internatl. 22(2):235-241
		57	Kalderon et al. (1984), "A Short Amino Acid Sequence Able to Specify Nuclear Location," Cell 39:499-509
		58	Kamata, H. et al. (1994), "Amphiphilic peptides enhance the efficiency of liposome-mediated DNA transfection," Nucl. Acids Res. 22(3):536-537
•		59	Kaneda et al. (1989), "Introduction and Expression of the Human Insulin Gene in Adult Rat Liver," J. Biol. Chem. 264(21):12126-12129
	*	160	Kaneda et al. (1987), "The Improved Efficient Method for Introducing Macromolecules into Cells Using HVJ (Sendai virus) Liposomes with Gangliosides," Exp. Cell Res. <u>173</u> :56-69
		61	Kielian, J. and Helenius, A. (1986), "Entry of Alphaviruses," in <u>The Togaviridae</u> and Flaviviradae, Schlesinger & Schlesinger (eds.), Plenum Press, N.Y., pp. 91-119
		62	Kirsch, T. et al. (1996), "Cloning, High-Yield Expression in Escherichia coli, and Purification of Biologically Active HIV-1 Tat Protein," Protein Expr. Purif. 8:75-84
		b3	Klappe, K. et al. (1986), "Parameters Affecting Fusion Between Sendai Virus and Liposomes. Role of Viral Proteins, Liposome Composition, and pH," Biochemistry 25:8252-8260
		64	Konopka, K. et al. (1991), "Enhancement of human immunodeficiency virus type 1 infection by cationic liposomes: the role of CD4, serum and liposome-cell interactions," J. Gen. Virol. 72:2685-2696
14		ځې	Kraaijeveld, S.A. et al. (1984), "The Effect of liposomal charge on the neutralizing antibody response against inactivated encephalomyocarditis and Simiki Forest Viruses," Clin. Exp. Immunol. <u>56</u> :509-514
, ;		iol	Kukowska-Latallo, J.F. et al. (1996), "Efficient transfer of genetic material into mammalian cells using Starburst polyamidoamine dendrimers," Proc. Natl. Acad. Sci. USA 93:4897-4902
		1	Lanford et al. (1986), "Induction of Nuclear Transport with a Synthetic Peptide Homologous to the SV40 T Antigen Transport Signal," Cell 46:575-582





Form PTO 1449	a a	
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569	FILING DATE July 23, 2001
APPLICANT Hawley-Nelson et al.		GROUP 1643

to the same of the			and the same of th
		69	Lapidot et al. (1990), "Fusion-Mediated Microinjection of Liposome-Enclosed DNA into Cultured Cells with the Aid of Influenza Virus Glycoproteins," Exp. Cell Res. 189:241-246
		69	Lawler, J. et al. (1988), "Cell Attachment to Thrombospondin: The Role of ARG-GLY-ASP, Calcium, and Integrin Receptors," J. Cell Biol. <u>107</u> :2351-2361.
		70	Life Technologies Catalog, (1993) 10 pp.
e		71	Liljistrom, P. and Garoff, H. (1991), "A New Generation of Animal Cell Expression Vectors Based on the Semliki Forest Virus Replicon," Biotech. 9:1356-1361
· · · · · · · · · · · · · · · · · · ·		.72	Mann, D.A. and Frankel, A.D. (1991), "Endocytosis and targeting of exogenous HIV-1 Tat protein," EMBO J. 10(7):1733-1739
		93	Marsh et al. (1983), "Interactions of Simiki Forest Virus Spike Glycoprotein Rosettes and Vesicles with Cultured Cells," J. Cell Biol. <u>96</u> :455-461
		24	Mason, P.W. et al. (1994), "RGD sequence of foot-and-mouth disease virus is essential for infecting cells via the natural receptor but can be bypassed by an antibody-dependent enhancement pathway," Proc. Natl. Acad. Sci. USA 91:1932-1936.
		78	Miyanohara, A. et al. (1998), "Partial Cell-Free Assembly of VSV-G Pseudotyped Retrovirus Particles," Molecular and Cellular Biology of Gene Therapy Symposium, Keystone, Colorado, January 19-25, 1998, #007, p. 34
	,	75	Murata et al. (1991), "Modification of the N-Terminus of Membrane Fusion-Active Peptides Blocks the Fusion Activity," Biochem. Biophys. Res. Commun. 179(2):1050-1055
	000	17	Neugebauer, J. (1990), "Detergents: An Overview," Meth. Enzymol. 182:239-253
		78	Otero, M.J. and Carrasco, L. (1987), "Proteins are Cointernalized with Virion Particles during Early Infection," J. Virol. <u>160</u> :75-80
***		7.9	Pastan, I.H. and Willingham, M.C. (1981), "Journey to the Center of the Cell: Role of the Receptosome," Science 214:504-509
		80	Pepinsky, R.B. et al. (1994), "Specific Inhibition of a Human Papillomavirus E2 <i>Trans</i> -Activator by Intracellular Delivery of Its Repressor," DNA and Cell Biology 13(10), Mary Ann Liebert, Inc., Publishers, pp. 1011-1019
		M	Phalen et al. (1991), "Cholesterol is Required for Infection by Semliki Forest Virus," J. Cell Biol. 112(4):615-623



RECEIVED MAY 1 5 2002 TECH CENTER 1600/2900

Form PTO 1449			1100
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569	FILING DATE July 23	, 2001
APPLICANT Hawley-Nelson et al.	<u></u>	GROUP 1643	

	<u>.</u>	1	
		82	Pierschbacher, M.D. and Ruoslahti, E. (1987), "Influence of Stereochemistry of the Sequence Arg-Gly-Asp-Xaa on Binding Specificity in Cell Adhesion," J. Biol. Chem. 262(36):17294-17298.
		83	Pierschbacher, M.D. and Ruoslahti, E. (1984), "Cell attachment activity of fibronectin can be duplicated by small synthetic fragments of the molecule," Nature 309:30-33.
*		84	Pinnaduwage, P. et al. (1989), "Use of a quaternary ammonium detergent in liposome mediated DNA transfection of mouse L-cells," Biochim. Biophys. Acta 985:33-37
		85	Promega Catalog, p. 251
		86	Remy et al. (1995), "Targeted gene transfer into hepatoma cells with lipopolyamine-condensed DNA particles presenting galactose ligands: A stage toward artificial viruses," Proc. Natl. Acad. Sci. USA 92:1744-1748
· · · · ·	.)	87	Rihs, HP. et al. (1991), "The rate of nuclear cytoplasmic protein transport is determined by the casein kinase II site flanking the nuclear localization sequence of the SV40 T-antigen," EMBO J. 10(3):633-639
		88	Rihs, H-P. and Peters, R. (1989), "Nuclear transport kinetics depend on phosphorylation-site-containing sequences flanking the karyophilic signal of the. Simian virus 40 T-antigen," EMBO J. 8(5):1479-1484
		849	Rose, J.K. et al. (1991), "A New Cationic Liposome Reagent Mediating Nearly Quantitative Transfection of Animal Cells," BioTechniques 10(4):520-525
		90	Rosenthal, A.F. and Geyer, R.P. (1960), "A Synthetic Inhibitor of Venom Lecithinase A," J. Biol. Chem. 235(8):2202-2206
		91	Ruoslahti, E. and Pierschbacher, M.D. (1987), "New Perspectives in Cell Adhesion: RGD and Integrins," Science 238:491-497.
		92	Sands, J.A. (1986), "Virucidal Activity of Cetyltrimethylammonium Bromide Below the Critical Micelle Concentration," FEMS Microbiol. Lett. 36:261-263
		93	Scheule (1986), "Novel Preparation of Functional Sindbis Virosomes," Biochemistry 25:4223-4232
	3	94	Schlegel, R. et al. (1983), "Inhibition of VSV Binding and Infectivity by Phosphatidylserine: Is Phosphatidylserine a VSV-Binding Site?" Cell 32:639-646
		95	Schlegel, R and Wade, M. (1985), "Biologically Active Peptides of the Vesicular Stomatitus Virus Glycoprotein," J. Virol. <u>53(1)</u> :319-323



MAY 1 5 2002 TECH CENTER 1600/2900

Form PTO 1449		
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569	FILING DATE July 23, 2001
APPLICANT Hawley-Nelson et al.		GROUP 1643

<u> </u>		-	
		96	Seth, et al., "Pathway of Adenovirus Entry into Cells," (1986) in Virus Attachment and Entry into Cells, Crowell, R.L. and Lonberg-Holm, K. (eds.), Am. Soc. Microbiology, Washington, pp. 191-195
		97	Stegmann, T. et al. (1989), "Protein-mediated membrane fusion," Ann. Rev. Biophys. Biophys. Chem. 18:187-211.
		98	Suzuki, S. et al. (1985), "Complete amino acid sequence of human vitronectin deduced from cDNA. Similarity of cell attachment sites in vitronectin and fibronectin," EMBO J. 4(10):2519-2524.
		49	Tang, M.X. et al. (1996), "In Vitro Gene Delivery by Degraded Polyamidoamine Dendrimers," Bioconjugate Chem. 7:703-714
		GO	Tikchonenko, T. et al. (1988), "Transfer of condensed viral DNA into eukaryotic cells using proteoliposomes," Gene 63:321-330
		lei	"Transfection Reagent," Genet. Eng. News (15 June 1993), P. 12, column 4
	j	rog	Väänänen et al., (1980), "Fusion and Haemolysis of Enthrocytes Caused by Three Togaviruses: Semliki Forest, Sindbis, and Rubella," J. Gen. Virology 46:467-475
		103	Vives, E. et al. (1997), "A Truncated HIV-1 Tat Protein Basic Domain Rapidly Translocates through the Plasma Membrane and Accumulates in the Cell Nucleus," J. Biol Chem. 272(25):16010-16017
		104	Wagner, E. et al. (1992), "Coupling of adenovirus to transferrin-polylysine/DNA complexes greatly enhances receptor-mediated gene delivery and expression of transfected genes," Proc. Natl. Acad. Sci. USA 89:6099-6103
		pos	Wagner, E. et al. (1992), "Influenza virus hemagglutinin HA-2 N-terminal fusogenic peptides augment gene transfer by transferrin-polylysine-DNA complexes: Toward a synthetic virus-like gene-transfer vehicle, " Proc. Natl. Acad. Sci. USA 89:7934-7938
		106	Walker et al. (1992), "Cationic lipids direct a viral glycoprotein into the class I major histocompatibility complex antigen-presentation pathway," Proc. Natl. Acad. Sci. USA 89:7915-7918
		101	Wayner, E.A. et al. (1989), "Identification and Characterization of the T Lymphocyte Adhesion Receptor for an Alternative Cell Attachment Domain (CS-1) in Plasma Fibronectin," J. Cell Biol. 109:1321-1330.
		109	Wickham, T.J. et al. (1995), "Targeting of adenovirus penton base to new receptors through replacement of its RGD motif with other receptor-specific peptide motifs," Gene Therapy 2:750-756.
		VOP(Yoshimura et al. 91993), "Adenovirus-mediated Augmentation of Cell Transfection with Unmodified Plasmid Vectors," J. Biol. Chem. 268:2300



MAY 1 5 2002

TECH CENTER 1600/2900

9 of 14

Form PTO 1449	
ATTY DOCKET NO. 32-95D SERIAL NO. 09/911,569	FILING DATE July 23, 2001
APPLICANT Hawley-Nelson et al.	GROUP 1643

	//0	Young et al. (1983), "Interaction of Enveloped Viruses with Planar Bilayer Membranes: Observations on Sendai, Influenza, Vesicular Stomatitis, and Simiki Forest Viruses," Virology 128:186-194
	je (Zhou, X. et al. (1991), "Lipophilic polylysines mediate efficient DNA transfection in mammalian cells," Biochim. Biophys. Acta 1065:8-14
	112	Zhou, X. and Huang, L. (1994), "DNA transfection mediated by cationic liposomes containing lipopolylysine: characterization and mechanism of action," Biochim. Biophys. Actà 1189:195-203.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

U.S. PATENT DOCUMENTS

Exmr. Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
		5,906,922	05/25/99	Whittaker et al.	435	69.1	
	·	5,854,224	12/29/98	Lockett et al.	514	44	·
		5,837,533	11/17/98	Boutin	435	320.1	
		5,773,527	06/30/98	Tomalia et al.	525	417	,
	٠, ٠	5,759,805	06/02/98	Feldhaus et al.	435	69.1	
	9	5,736;387	04/07/98	Paul et al.	435	320.1	Ī
		5,670,347	09/23/97	Gopal	435	172.1	
		5,661,025	08/26/97	Szoka, Jr. et al.	435	172.3	
		5,658,776	08/19/97	Flotte et al.	435	172.3	a.
	-	5,631,329	05/20/97	Yin et al.	525	417	
		5,583,198	12/10/96	Whittaker	530	345	
		5.547.932	08/20/96	Curiel et al	435	65	-

FOREIGN PATENT DOCUMENTS

	Document Number	Date	Country	Class	Subclass	Translation Yes/No
16	WO 96/15811	05/30/96	PCT			
114	WO 87/02061	09.04.87	PCT	C12P	21/00	
16	WO 90/09786	07.09.90	PCT	A61K	31/00	<u> </u>
16	WO 92/22635	23.12.92	PCT	A61K	47/48	:
11	WO 91/07947	13.06.91	PCT	A61K	9/08	
119	0 359 347 B1	14.08.89	EP	A61K	· 47/42	
111	WO 92/21752	10.12.92	PCT	A61K	35/20	
120	WO 93/05162	18.03.93	PCT	C12N	15/63	
127	WO 91/04753	18.04.91	PCT .	A61K	47/48	

11 of 14


Form PTO 1449 PATENT'S		
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569	FILING DATE July 23, 2001
APPLICANT Hawley-Nelson et al.		GROUP 1643

	127	Behr, JP., "Synthetic Gene-Transfer Vectors," (1993) Accounts of Chemical Research 26:274-278
	129	Caminati, G. et al., "Photophysical Investigation of Starburst Dendrimers and Their Interactions with Anionic and Cationic Surfactants," (1990) J. Am. Chem. Soc. 112:8515-8522
	124	Citovsky, V. et al., "Nuclear localization of agrobacterium VirE2 protein in plant cells," (1992) Science 256:1802
. ,	\$ 5	Cotten, M. et al., "Transferrin-polycation-mediated introduction of DNA into human leukemic cells: Stimulation by agents that affect the survival of transfected DNA or modulate transferrin receptor levels," (1990) <i>Proc. Natl. Acad. Sci.</i> 87:4033-4037
	 124	Curiel, D.T. et al., "Gene transfer to respiratory epithelial cells via the receptor-mediated endocytosis pathway," (1992) Am. J. Respir. Cell. Mol. Biol. 6:247-252
	127	Demeneix, B.A. et al., "Gene transfer into intact vertebrate embryos," (1991) Int. J. Dev. Biol. 35:481-484
	124	Dingwall et al., "Human Immunodeficiency virus 1 tat protein binds trans-activation-responsive region (TAR) RNA in vitro," Proc. Natl. Acad. Sic. USA 86:6925-6929
	129	Dwarki, V.J., "Cationic liposome-mediated RNA transfection," (1993) Methods in Enzymology 217:644-654
	130	Finlay, D.R. et al., "Nuclear transport in vitro," (1989) J. Cell Sci. Suppl. 11 p. 225-242
	131	Gao, X and Huang, L., "A novel cationic liposome reagent for efficient transfection of mammalian cells," (1991) Biochem. and Biophys. Res. Communications 179(1):280-285
	132	Garcia-Bustos, J. et al., "Nuclear protein localization," (1991) Biochimica et Biophysica Acta 1071:83-101
	134	Goldfarb, D.S. et al., "Synthetic peptides as nuclear localization signals," (1986) <i>Nature</i> 322:641-644
	 194	Goldfarb, D.S. and Michaud, N., "Pathways for the nuclear transport of proteins and RNAs," (1991) <i>Trends in Cell Biology</i> 1:20-24
	135	Harbottle, R. et al. (1995), "RGD-mediated gene delivery and expression in epithelial cells," Keystone Symposium on Gene Therapy and Molecular Medicine, Steamboat Springs, CO, March 26 - April 1, 1995, Abstract No. C6-321
	134	Huckett, B. et al., "Evidence for targeted gene transfer by receptor-mediated endocytosis," (1990) <i>Biochem. Pharmacology</i> 40(2) :253-263
	۱ ۱ ۱ ۱ ۱	Kaneda, Y. et al., "Increased expression of DNA cointroduced with nuclear protein in adult rat liver," (1989) Science 243:375-378



O MATO TO STATE				12 of 1	TE -
Form PTO 1449	7				
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569		FILING DATE July 23	3, 2001	3 4
APPLICANT Hawley-Nelson et al.			GROUP 1643		
					2002 600/
Karlsson, S.	et al., "Transfer of genes in	nto hematopo	nietic cells using reco	mbinant DN	1A 00 000 000 000 000 000 000 000 000 00

	138	Karlsson, S. et al., "Transfer of genes into hematopoietic cells using recombinant DNA viruses," (1985) <i>Proc. Natl. Acad. Sci. USA</i> 82:158-162
	139	-Lanford, R.E. et-al., "Comparison-of-diverse-transport-signals-in-synthetic peptide-induced nuclear transport," (1990) Exp. Cell Res. 186:32-38
	146	Ledley, F.D., "Clinical considerations in the design of protocols for somatic gene therapy," (1991) Human Gene Therapy 2:77-83
	14/	Legendre, JY. and Szoka, F.C., Jr., "Delivery of plasmid DNA into mammalian cell lines using pH-sensitive liposomes: Comparison with cationic liposomes," (1992) <i>Pharm. Res.</i> 9(10):1235-1242
	142	Legendre, JY. and Szoka, F.C., Jr., "Cyclic amphipathic peptide-DNA complexes mediate high-efficiency transfection of adherent mammalian cells," (1993) <i>Proc. Natl. Acad. Sci. USA</i> 90 :893-897
	143	Loyter, A. et al., "Mechanisms of DNA uptake by mammalian cells: Fate of exogenously added DNA monitored by the use of fluorescent dyes," (1982) <i>Proc. Natl. Acad. Sci. USA</i> 79:422-426
	144	Malone, R.W. et al., "Cationic liposome-mediated RNA transfection," (1989) Proc. Natl. Acad. Sci. USA 86:6077-6081
	145	Parente, R.A. et al., "Association of a pH-sensitive peptide with membrane vesicles: Role of amino acid sequence," (1990) Biochemistry 29:8713-8719
*	146	Parente, R.A. et al., "Mechanism of leakage of phospholipid vesicle contents induced by the peptide GALA," (1990) <i>Biochemistry</i> 29:8720-8728
· · · · · · · · · · · · · · · · · · ·	149	Poste, G. et al., "Lipid vesicles as carriers for introducing biologically active materials into cells," (1976) Methods in Cell Biology 14:33-71
	148	Rosenkranz, A.A. et al., "Receptor-mediated endocytosis and nuclear transport of a transfecting DNA construct," (1992) Exp. Cell Res. 199:323-329
	149	Schmid, N. and Behr, JP., "Location of spermine and other polyamines on DNA as revealed by photoaffinity cleavage with polyaminobenzenediazonium salts," (1991) <i>Biochemistry</i> 30:4357-4361
	150	Silver, P.A., "How proteins enter the nucleus," (1991) Cell 64:489-497
	161	Smull, C.E. and Ludwig, E.H., "Enhancement of the plaque-forming capacity of poliovirus ribonucleic acid with basic proteins," (1962) J. Bacteriology 84:1035-1040
	150	Sugawa, H. et al., "Large macromolecules can be introduced into cultured mammalian cells using erythrocyte membrane vesicles," (1985) Exp. Cell Res. 159:410-418



		153	Trubetskoy, V.S. et al., "Use of N-terminal modified poly (L-lysine)-antibody conjugate as a carrier for targeted gene delivery in mouse lung endothelial cells," (1992) Bioconjugate Chem. 3:323-327
		154	van Zee, K. et al., "A hydrophobic protein sequence can override a nuclear localization signal independently of protein context," (1991) Mol. and Cellular Biol. 11(10):5137-5146
Ť		155	Wagner, E. et al., "DNA-binding transferrin conjugates as functional gene-delivery agents: Synthesis by linkage of polylysine or ethidium homodimer to the transferrin carbohydrate moiety," (1991) <i>Bioconjugate Chem.</i> 2:226-231
_		156	Wagner, E. et al., "Transferrin-polycation conjugates as carriers for DNA uptake into cells," (1990) <i>Proc. Natl. Acad. Sci. USA</i> 87:3410-3414
* .		150	Wilson, J.M. et al., "Hepatocyte-directed gene transfer <i>in vivo</i> leads to transient improvement of hypercholesterolemia in low density lipoprotein receptor-deficient rabbits," (1992) <i>J. Biol. Chem.</i> 267(2) :963-967
	•	159	Wolff, J.A. et al., "Direct gene transfer into mouse muscle in vivo," (1990) Science 247:1465-1468
•		59	Wu, C.H. et al., "Targeting genes: Delivery and persistent expression of a foreign gene driven by mammalian regulatory elements in vivo," (1989) J. Biol. Chem. 265(29) :16985-16987
		160	-Wu, G.Y. et al., "Receptor-mediated gene delivery in vivo: Partial correction of genetic analbuminemia in nagase rats," (1991) J. Biol. Chem. 266(22):14338-14342
5		161	Wu, G.Y. and Wu, C.H., "Receptor-mediated gene delivery and expression in vivo," (1988) J. Biol. Chem. 263(29):14621-14624
		leg	Wu, G.Y. and Wu, C.H., "Evidence for targeted gene delivery to Hep G2 hepatoma cells in vitro," (1988) <i>Biochemistry</i> 27:887-892
		163	Yagi, K. et al., "Incorporation of histone into liposomes increases the efficiency of liposome-mediated gene transfer," (1991) J. Clin. Biochem. Nutr. 10:21-25
		164	Zenke, M. et al., "Receptor-mediated endocytosis of transferrin-polycation conjugates: An efficient way to introduce DNA into hematopoietic cells," (1990) <i>Proc. Natl. Acad. Sci. USA</i> 87:3655-3659

/Q4		
(0,		DEMAR
	<u>pate</u> '	

, MA.		14 of 14 9
Form PTO 1449		CE
ATTY DOCKET NO. 32-95D	SERIAL NO. 09/911,569	FILING DATE July 23, 2001
APPLICANT Hawley-Nelson et al.		GROUP 1643.
	5 40 - 10 X	Q

		165	Zhu, Z. et al., "Transformation of tobacco protoplasts with I sensitive liposomes," (1990) Plant Cell Tissue and Organ C	DNA entrapped Culture 22:135-	d in pH-	00
EXAM	INER-		DATE-CONSIDERED	41-		

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

12/20/89